

APPENDIX 6

2006 NATIONAL CPM DATA COLLECTION - NATIONAL AND NETWORK PROFILES
for Adult (aged ≥ 18) In-Center Hemodialysis Patients

Network	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	U.S.
# in sample	471	473	486	482	490	495	476	491	484	461	470	472	477	491	484	473	462	471	8609

DIALYSIS ADEQUACY

% Pts with mean spKt/V ≥ 1.2	92	93	91	92	89	91	91	91	91	90	88	91	88	93	92	93	88	89	91
Median spKt/V	1.56	1.57	1.53	1.56	1.54	1.53	1.53	1.54	1.54	1.58	1.51	1.54	1.5	1.62	1.62	1.61	1.51	1.55	1.55
% Pts with mean URR ≥ 65%	90	89	88	90	87	89	88	85	88	87	85	90	85	91	89	91	84	86	88
Median URR %	73	74	73	73	73	73	73	73	73	74	72	73	72	74	74	74	72	73	73
Median dialysis session length (min)	210	210	212	225	211	214	210	226	224	220	210	214	220	236	215	234	192	205	213

VASCULAR ACCESS

% Prevalent pts with AVF	51	48	39	42	36	40	43	36	42	45	41	43	39	43	51	58	50	49	44
% Incident pts with AVF	58	53	48	45	46	52	53	45	61	61	50	54	49	54	57	66	61	60	54
% Prevalent pts with Graft with AVF	*	2	*	*	*	2	3	*	2	*	3	*	*	*	*	*	*	11	3
% Prevalent pts with Graft without AVF	22	24	24	27	33	33	24	39	23	20	29	21	28	32	18	17	25	18	26
% Pts with AVG and stenosis monitoring	64	61	55	62	73	70	73	69	63	65	81	68	66	72	65	85	78	72	69
% Prevalent pts with catheter	25	26	35	30	30	25	30	24	32	33	27	32	31	23	29	23	24	22	27
% Prevalent pts with catheter ≥ 90 days	20	21	29	22	22	19	24	18	24	23	20	21	22	16	22	16	17	18	21

2006 NATIONAL CPM DATA COLLECTION - NATIONAL AND NETWORK PROFILES

for Adult (aged ≥ 18) In-Center Hemodialysis Patients

Network	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	U.S.
---------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	------

ANEMIA MANAGEMENT

Median hgb (g/dL)	12.0	12.0	12.0	12.0	12.0	12.0	12.1	12.0	12.0	12.1	12.1	11.9	11.9	12.0	12.1	12.0	12.0	12.0	12.0
% Pts with mean hgb ≥ 11g/dL	85	82	81	83	84	84	84	79	80	85	83	80	80	87	85	83	87	88	84
% Pts with mean hgb 11-12.0 g/dL ^	35	32	29	31	33	34	32	30	33	29	30	32	36	33	29	32	36	36	33
% Pts with mean Hb < 10 g/dL	5	7	6	4	5	5	4	6	7	7	5	5	5	4	5	6	3	2	5

IRON MANAGEMENT

% Pts with mean TSAT ≥ 20%	76	79	78	78	81	83	81	76	75	77	77	73	77	82	77	68	71	83	78
Median TSAT %	25	26	26	26	27	28	27	25	25	25	26	25	25	27	26	23	25	27	26
% Pts with mean ferritin ≥ 100ng/mL	96	92	95	93	94	97	93	96	94	94	95	95	95	95	93	94	95	95	95
Median ferritin ng/mL	541	526	533	472	545	569	555	515	533	574	526	478	556	603	482	443	508	571	536
% Pts rx'd IV iron	72	63	71	76	69	69	66	75	69	72	69	66	68	69	70	69	69	67	69

ALBUMIN

% Pts with mean serum albumin ≥ 4.0/3.7 g/dL (BCG/BCP)^^	32	31	33	28	36	33	36	35	28	32	31	25	31	31	35	31	37	39	33
% Pts with mean serum albumin ≥ 3.5/3.2 g/dL (BCG/BCP)^^	80	80	75	77	78	84	83	81	79	82	79	77	82	81	83	80	79	84	80
Median serum BCG albumin (g/dL)	3.8	3.8	3.8	3.8	3.9	3.8	3.9	3.9	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.9	3.9	3.8
Median serum BCP albumin (g/dL)	3.4	3.4	3.3	3.1	3.5	*	3.4		3.6	3.6	3.6	3.4	*	*	*	3.4	3.5	3.6	3.5

^ Among those patients prescribed epoetin

^^ BCG/BCP-Bromcresol Green/Bromcresol Purple Laboratory Methods

* Value suppressed because n < 11

Note: To convert serum albumin conventional units of g/dl to SI units (g/L), multiply by 10.